THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of:

Gail M. Cunningham

Serial No.

09/841,518

Filed:

April 24, 2001

Confirmation No.:

5647

For:

FLUID-BORNE NOISE SUPPRESSION IN AN AUTOMOTIVE POWER STEERING SYSTEM

Attorney Docket No.:

5196-01 FSP

Group Art Unit:

1733

CERTIFICATE OF MAILING

I hereby certify that this paper (along with any referred to as being attached or enclosed) is being deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to: Assistant Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

On: October 29, 2004

Diana Castillo

Assistant Commissioner for Patents Alexandria, VA 22313-1450

Sir:

PETITION

This is a Petition for status information on the subject application and, if necessary, for reconstruction of the application file. Inasmuch as the PTO has thus far been unable to provide status information on the subject application or, apparently, to determine whether the application file is lost, it is believed that there should be no fee associated with this Petition. In the event that any fees are due, the same may be charged to Account No. 50-0852.

This application was filed on April 24, 2001 (copy of Filing Receipt enclosed).

Applicant filed a first Status Inquiry on September 23, 2002 (copy of Receipt Card enclosed). No status information was supplied by the PTO.

The Applicant filed a Second Status Inquiry on March 11, 2003 (copy of Receipt Card enclosed). Again, no status information was supplied by the PTO in response to this Second Status Inquiry.

Applicant's representative has been in contact with various PTO employees, by telephone, concerning the status of this application, from April 29, 2004 to October 26, 2004. Enclosed are copies of two pages of notes concerning these telephone calls, identifying the dates and the persons with whom the status of the application was discussed. Based upon this information, it appears that the PTO file on the present application may be "lost," at least in the sense that the file can not be located.

The application has now been on file for about three and one-half years without an Office Action having been received. It is believed and respectfully submitted that applicant is entitled to examination of his patent application.

Enclosed are complete copies of the Text, Drawings, Application Transmittal Sheet, Fee Transmittal Sheet, Request and Certification, Declaration, Power of Attorney and Information Disclosure Statement initially filed in the present application. It is hereby certified that these enclosed materials are true copies of the originally filed documents. (The originally filed documents also included copies of the U.S. patent documents cited in the IDS, but copies of these materials are no longer required under current practice.)

Applicant therefore respectfully petitions: (1) for an explanation of the status of the subject application, and (2) for reconstruction of the application file from the enclosed materials if necessary to begin the examination process.

Respectfully submitted,

REISING, ETHINGTON, BARNES, KISSELLE, LEARMAN & McCULLOCH, P.C.

By:	
Robert C. Collins	

Robert C. Collins Reg. No. 27,430 (248) 689-3500 (248) 689-4071(fax)

RCC/dc

U.S. Patent and Trademai. Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

		•
IP (UTILITY
/ 0"]	' श्री	PATENT APPLICATION
. 4	me is	PATENT APPLICATION TRANSMITTAL
FEB 1 1/	CE CE	
3	f (Control	or new nonprovisional applications under 37 C.F.R.

Attorney Docket No. 5196-01 FSP First Inventor Gail M. Cunningham Fluid-Borne Noise Suppression in an Automotive Power Steering Title System

							,,,,,,,,,,,	· .	
(Only for n	ew nonprovisions	l applications under 3	7 C.F.R. 1.53(b))	Ехрі	ress Mail	Label No.	EL6	06427252US	
See MPEP o		ICATION ELEN			ADDRESS TO: Assistant Commissioner for Patents Box Patent Application Washington, DC 20231				
1.	Fee Transmittal Submit an original at Applicant claims See 37 CFR 1.2 Specification oreferred arrange Descriptive title of Cross Reference Statement Regar Reference to sec or a computer pro Background of th Brief Description Detailed Description Declaration Newly execute Copy from a p (for a continue DELETION Signed stateme named in the p 1.63(d)(2) and	Form (e.g., PTO/SI of a duplicate for fee process small entity status. Total ment set forth below) of the Invention status ding Fed sponsored Rependence listing, a table, ogram listing appendix is Invention of the Drawings (if file is included (original or copy) rior application (37 distribution) of INVENTOR(SI) and attached deleting into application, see 37	B/17) essing) al Pages al Sheets al Sheets Al Pages CFR 1.63 (d)) Box 18 completed EVEN 18 completed]	Computer Program (Appendix) 8. Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary) a.				
18. If a CON or in an App Conti Prior app For CONTIN	TINUING APPLICATION Data Shipuation olication information olication informatium of DIVI	CATION, check appropertunder 37 CFR 1. Divisional Con: Examiner SIONAL APPS only:	opriate box, and sup 76: Continuation-in-p	ply th	IP) he prior a	of p <i>Gr</i> o	on bel	oplication No	preliminary amendment, :/ th or declaration is supplied by incorporated by reference.
The incorpo	oration can only	be relied upon when	a portion has been	inadv	ertentiy (mitted from	the s	ubmitted a	pplication parts.
		produce and	17. CORRESPO	DNDE	ENCE A	DDRESS			
☐ Custon	ner Number or Ba		sert Customer No. or	Attack	h bar code	label here)		r 🖾 Co	rrespondence address below
Name	Robert C. Co	llins ngton, Barnes, Kisse	elle Learman & Mo	Culle	och P.C.				
Address	P.O. Box 439				JCII, 1 . O.				
Address									
City	Troy		State	М	ı		Zip	Code	48099-4390
Country	us		Telephone	(2	48) 689	3500	_	Fax	(248) 689-4071
Name (Pr	int/Type)	Robert C. Collins		Reg	gistratio	No. (Attor	ney/A	lgent)	27,430
Signature			0		Date 4/24/61				4/24/01

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

Complete if Known

FEE TRANSMITTAL for FY 2001

Patent fees are subject to annual revision.

Application Number		
Filing Date	Herewith	
First Named Inventor	Gail	M Cunninghon
Examiner Name		

Group / Art Unit 5196-01 FSP 750

TOTA	TOTAL AMOUNT OF PAYMENT (\$) 750 Attorney Docket No. 3/96-6/FSP												
		METH	OD OF PA	YMENT (heck	one)					FEE C	ALCULATION (continued)	
1. 🛭		The (Commissi ated fees	oner is here and credit a	eby au any ov	thorized to er paymen	charge ts to:		DITIONAL Large Entity		Small Entity		•
Dep	osit ount	50-08	852					Fee Code	Fee (\$)	Fee Code	Fee (\$)	Fee Description	Fee Paid
Nun		30-01	JUL					105	130	205	65	Surcharge - late filing fee or oath	
Don	D								50	227	25	Surcharge - late provisional filing fee or cover sheet.	
Deposit Account Reising, Ethington, Bames, Kisselle, Learman & McCulloch, PC									130	139	130	Non-English specification	
. Nan								147	2,520	147	2,520	For filing a request for reexamination	
⊠	Charge An Under 37							112	920*	112	920°	Requesting publication of SIR prior to Examiner action	
	Applicant See 37 C		-	status.			•	113	1,840*	113	1,840*	Requesting publication of SIR after Examiner action	
2. 🔯	Paymei	nt Enclo	sed:					115	110	215	55	Extension for reply within first month	
⊠	Check	☐ Cr	redit card		oney	□ 01	her	116	390	216	195	Extension for reply within second month	
├					rder			117	890	217	445	Extension for reply within third month	
1.	BASIC FII	ING F		ALCULATIO	ON _			118	1,390	218	695	Extension for reply within fourth month	
Large	Entity		Entity					128	1,890	228	945	Extension for reply within fifth month	
Fee	•	Fee	Fee	Fee Descri	ption			119	310	219	155	Notice of Appeal	
Code	* ' '	Code	(\$)			_	Fee Paid	120	310	220	155	Filing a brief in support of an appeal	
101	710	201	355	Utility filing	fee		710	121	270	221	135	Request for oral hearing	
106 107		206 207		Design filin Plant filing	-	-		138	1,510	138	1,510	Petition to institute a public use proceeding	
108		208		Reissue fili		,		140	110	240	55	Petition to revive - unavoidable	
114	150	214	75	Provisional	filling	fee		141	1,240	241	620	Petition to revive - unintentional	
}					-	_		142	1,240	242	620	Utility issue fee (or reissue)	
		S	UBTOTA	L (1)			(\$) 710	143	440	243	220	Design issue fee	
2 EY	RA CLAII	W EEES		· · ·				144	600	244	300	Plant Issue fee	
2. 5	NA CEAN	** :	,	Extra	Fe	ee from	Fee	122	130	122	130	Petitions to the Commissioner	
Total Cla	ims 7	-2	:0** = [Claims 0		elow	Paid = 0	123	130	123	130	Petitions related to provisional applications	
Independ Claims	ent 2	<u> </u>	3 ** =	0	×		= 0	126	180	126	180	Submission of Information Disclosure Stmt	
Multiple Depender	nt		•		хĒ		= 0	581	40	581	40	Recording each patent assignment per property (times number of properties)	40
Large Fee	Entity Fee	Smail Fee	Entity Fee	•				146	710	246	355	Filing a submission after final rejection (37 CFR § 1.129(a))	
Code	(\$)	Code	(\$)	Fee Des	scnpti	ON		149	710	249	355	For each additional invention to be	
103	18	203	9			ess of 20		1				examined (37 CFR § 1.129(b))	
102	80	202	40	•		daims in ex		179	710	279	355	Request for Continued Examination (RCE)	
104	270	204	135				, if not paid	169	900	169	900		
109	80	209	40	original	patent		daims over	109	300	103	300	Request for expedited examination of a design application	
110	18	210	9	** Reiss over ori			ess of 20 and	0	4				
			S	UBTOTAL ((2)	(S) O		Other fo	ee (specif	y)	•		
"or nu	mber previo	usly paid	l, if greater	For Reissu	es, se	e above		*Redu	ced by Ba	sic Filin	g Fee Pa	aid SUBTOTAL (3) (5) 40	
	p / 10				_,								

SUBMITTED BY				C	complete (if applicable)
Name (Print/Type)	Robert C. Cellins	Registration No. Atterney/Agent)	27,430	Telephone	248-689-3500
Signature	12/1/	7/200	1	Date	4/24/61

Under the Paperwork Reduction Act of 1985, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

REQUEST AND CERTIFICATION
UNDER
35 U.S.C. 122(b)(2)(B)(i)

Title Fluid Borne Noise Suppress.

Atty Docket Number 5196-01 FSP

I hereby certify that the invention disclosed in the attached application has not and will not be the subject of an application filed in another country, or under a multilateral agreement, that requires publication at eighteen months after filing. I hereby request that the attached application not be published under 35 U.S.C. 122(b).

4/24/6/ Date

Robert C. Collins

Typed or printed name

This request must be signed in compliance with 37 CFR 1.33(b) and submitted with the application upon filing.

Applicant may rescind this nonpublication request at any time. If applicant rescinds a request that an application not be published under 35 U.S.C. 122(b), the application will be scheduled for publication at eighteen months from the earliest claimed filing date for which a benefit is claimed.

If applicant subsequently files an application directed to the invention disclosed in the attached application in another country, or under a multilateral international agreement, that requires publication of applications eighteen months after filing, the applicant must notify the United States Patent and Trademark Office of such filing within forty-five (45) days after the date of the filing of such foreign or international application. Failure to do so will result in abandonment of this application (35 U.S.C. 122(b)(2)(B)(iii)).

Burden Hour Statement: This collection of information is required by 37 CFR 1.213(a). The information is used by the public to request that an application not be published under 35 U.S.C. 122(b) (and the PTO to process that request). Confidentially is governed by 35 U.S.C. 122 and 37 CFR 1.14. This form is estimated to take 6 minutes to complete. This time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademerk Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Plasse type a plus sign (+) mode the POL

PTO/8801 (10-00)

Approved for the through 10/31/2002 OMB 0531-0032

U.S. Pasers and Trademark Office; U.S. DEPARTMENT OF COMMERCE

U.S. Pasers and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Papers-ork Reduction Act of 1885, no persons are required to respond to a consistent of information unless a contract a valid OMB control instructor

DECLARA"		FOR UTILITY OR	Attorney Docket Nur		6196-01 FSP Gail M. Cunningham	\rightarrow
	DE	ISIGN LPPLICATION	First Named Invento		ETE IF KNOWN	
		FR 1.63)	Application Number		1	
□ Deciaration	OR	☐ Declaration	Filing Date	Hen	ewith	
Substited With Initial		Submitted after Initial Filing (surcharge	Group Art Unit			
Filing		(37 CFR 1.16 (e)) required)	Examiner Name			

As a below named inver	itor, I hereby declare tha	π:								
My residence, post office address, and citizenship are as stated below next to my name.										
I pelieve I am the onganal, first and sole inventor (if only one name is listed below) or an onganal, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a parent is sought on the invention entitled										
Fluid-Borne Noise Suppression in an Automotive Power Steering System										
the specification of which (Title of the Invention)										
Is attached hereto										
OR										
was filed on (MM/PD/	mu) [as United States A	opication Number of	PCT Internation	ાવા					
Application Number		was amended on (MM/DD/)	-		(if applicable)					
i nereby state that I have review specifically referred to above			•							
I acknowledge the duty to disck applications, material information international filing data of the co	n which decame available de	tween the 14102 date of the P	4 in 37 CFR 1.55, in Mor application and	duding for confir the national or P	nuation-in-pari CT					
I nereby claim foreign phonity b or \$65(a) of any PCT internatio and have also identified below, application having a filing date	nai application which designs by checking the box, any for	eigh abblication for palent of	er wan ma umaeu a		2. MORDA POPUM					
Prior Foreign Application		Foreign Filing Date	Priority	Certified Cop	y Assches?					
Number(s)	Соиппу	(ММ/ВВ/УУУ) СВИПБУ	Not Claymod	YEŞ	NO.					
					Ц					
				닏	LI D					
		L	<u> </u>	Ш.						
Additional foreign application										
I hereby claim the benefit unde	r 35 U S C 118(e) of any Uni	ted States provisional applic	ation(5) hated below	<u> </u>						
Application Number(s	Filing Date (MM/PD/YYY)								
60/200,122 04/27/2000 Additional provisional application numbers are listed on a supplemental phority data sheet PTO/SB/028 attached hereto										

[Page 1 of 2]

Burden Hour Statement. This form is estimated to take 21 minutes to complete Tarto will vary deportant upon the needs of the not-valual case. Any committees on one amount of time you are required to complete that form should be set to the Chief Information Officer, U.S. Peters and Tragometh. Officer, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO Assistant Commissioner for Patients, Washington, DC 20231.

PTOERIO 1000 PLA DEZ > + PTOERIO 1000 PLA DEZ > + PTOERIO 1000 PLA DEZ PARTICIO PER SAGIO PLA DEZ PARTICIO PLA D

	The state of the s										
Detect 811 cousts	condense to		Bar C	Number SAB 1908	23599	O.R	Companyation applican page				
Name	Reising, E	hingra	n, B	mes, Kisse	ile, Loaman & M	Cullocat,	PC				
Address	PO Box 43										
Adarecs											
CRY Tray			· .		State Mic	hisan	ZIP 48099-4390				
Country US				hone (248)	R89-3500		FRE (248) 589-4074				
EXPLANTION OF MAY PROMIT RESPONDED INSERT OF A PART PART PART OF MAY RECOMMENDED THE PROMITE OF A STREET AND A PARTICULAR OF THE PARTICULA											
NAME OF SOLE	NAME OF SOLE OR FIRST INVENTOR A ROMAN THAT DOES THE HOSQUE AVERTOL										
Green Name Gall Na. Family Name Cultingham or Sumane											
Signature Signature	failm	16	1	min	ghom		1 /2/01				
Residence: City	Ozlard		Sp	so Mi	COMMIN NA		Chusenapp us				
Mailing Address	1149	Brook	sidə	Sourt							
Mailing Address		,									
टांश टीम्प्रीयाच		State	M		ZIP 48371	Count	ny US				
NAME OF SECO	ND INVENTO	R			A polition has peen	filed for mus	माञ्चीक्ष गंग्नाका				
Given Name three and middle	[if arry])				Family Name or Burnamo						
Signature Signature							Date				
Residence: City			Spa	to .	Country		Cltizenship				
Haiping address	Haiping acidiress										
Mailing Address	Hailing Address										
City		State			4 15	Copur	у				
Accironal in	ACHEDIA TLA DOS	S Inteles	on g	6C.pper	merca Acadonal Inven	DELLE) MUSICALE)	PTO/SB/02A CONTING NORSE				

. Please type a plus sign (+) inside this box

PTO/SB/81 (10-00)

Approved for use through 10/31/2002 OME 0/651-0035

U. 6. Patent and Trademark Office; U. 5. DEPARTMENT OF COMMERCE

Under the Parameter Reduction Act of 1985, no persons are required to respond to a contraction of information unless a displays a valid OMB contraction. Application Number Herewith Filing Date POWER OF ATTORNEY OR Gail M. Cunningham First Named Inventor **AUTHORIZATION OF AGENT** Group Art Unit

Examiner Name

<u></u>					1141114					
I hereby a ☐ Practition ☐ Pr	:	stomer Number	23389				ustomer Bar Code			
	oner(s) nam	ed below			L					
ДПиси	2,101(0) 1101	Nam	8		Registration Number					
		Robert C.	Collins		27,43					
		William J. W	augaman		20,30					
		Robert M. I	-eonardi		27,81					
		Phillip A. R	otman II		38,29	ю				
as my/our attorney(s) or agent(s) to prosecute the application identified above, and to transact all business in the Patent and Trademark Office connected therewith.										
Please change the correspondence address for the above-identified application to: The above-mentioned Customer Number. OR										
Firm or Individu	ial Name	Robert C. C	ollins							
Address		PO Box 439	0							
Address			·							
City		Troy		State	Michigan	ZIP	48099-4390			
Country		us								
Telephone		(248) 689-3	500	Fax	(248) 689-407	11				
Assi										
		S	IGNATURE Of Applic	ant or A	ssignee of Recor	d				
Name	Gair M.	Cunningham		/_						
Signatura	Las	IM Ci	siningh	ans						
Date	4/	20/01		1						
NOTE SIG	NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below.									
Supmit mu		me are submitte								

Burden Your Schlamers: The form is extended to take 3 minutes to complete Time will vary depending upon the needs of the individual case. Any Comments on the binount of time you are required to complete the form should be sent to the Chief Information Officer, U.S. Patent and Trademark Officer, Washington, DC 2023). DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO Assessmit Commissioner for Patents, Washington, DC 2025).

FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TI IN ARK OFFICE	ATTY. DOCKET NO. 5196-01 FSI	SERIAL NO.
	ORMATION DISCLOSURE TEMENT BY APPLICANT	APPLICANT GAIL M	. CUNNINGHAM
(Use	e several sheets if necessary)	FILING DATE	GROUP
(37 CFR 1.98(b))		Herewith	

U.S. PATENT DOCUMENTS

Examiner Initial	i i						٤		ISSUE DATE	PATENTEE	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
		3	5	9	9	6	7	7	08/1971	O'Brien			
		3	6	0	5	8	1	8	09/1971	Balchan			
		3	9	4	8	2	9	3	04/1976	Bixby			
		4	0	3	5	5	3	4	07/1977	Nyberg			
		4	0	8	9	3	6	0	05/1978	Böhm			
		4	1	9	6	7	5	4	04/1980	Payne			
		4	2	8	7	2	1	7	09/1981	Hammer et al.			
		4	3	2	2	2	6	0	03/1982	Conlon [*]			
		4	4	5	7	7	9	9	07/1984	Dunn			
		4	5	5	9	0	9	5	12/1985	Babbin			
		4	6	0	3	7	1	2	08/1986	Krause			
		4	6	3	3	9	1	2	02/2987	Pilkington et al.			
		4	6	5	7	2	8	5	04/1987	Akiyama et al.			
		4	6	8	8	6	0	5	08/1987	Eisenzimmer et al.			
		4	7	3	4	3	0	5	03/1988	Sugimoto et al.			·
		4	8	7	0	9	9	5	10/1989	Igarashi et al.			
		4	9	9	8	5	6	5	03/1991	Kokuryu et al.			
		5	0	9	3	4	2	6	03/1992	Sakabe et al.			
		5	1	7	1	7	8	7	12/1992	Zama et al.			
		5	1	7	2	7	2	9	12/1992	Vantellini			
		5	2	0	1	3	4	3	04/1993	Zimmermann et al.			
		5	3	1	6	0	4	6	05/1994	Igarashi et al.			
		5	3	7	6	7	3	0	12/1994	Niwano et al.			·
		5	5	2	1	3	4	0	05/1996	Thawani et al.			
		6	1	5	5	3	7	8	12/2000	Qatu et al.			

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



5

10

15

20

FLUID-BORNE NOISE SUPPRESSION IN AN AUTOMOTIVE POWER STEERING SYSTEM

This application claims priority from Provisional Application Serial No. 60/200,122 filed April 27, 2000

The present invention is directed to suppression of fluid-borne noise in an automotive power steering system, and more particularly to a power steering pressure hose and method of manufacture having improved fluid-borne noise dampening characteristics.

Background of the Invention

Present day automobile power steering systems use power steering hoses that are constructed and/or provided with acoustic chambers and the like so as to, in varying degrees, dampen noise generated by the power steering pump and/or steering gear. The prior art is replete with a relatively long history of disclosures that describe devices incorporated inside the power steering hose or connected in line with the power steering hoses to dampen this noise. See for example U.S. Patent Nos. 5,521,340 and 5,172,729 and earlier patents cited as references therein. However, as to improvements in the construction of the power steering hose itself, the emphasis has been in the direction of developing improved heat resistance, which in turn should result in longer service life in the adverse automotive engine compartment environment. To achieve this, higher temperature materials such as chlorosulfonated polyethylene and hydrogenated nitrile have been used.

The power steering hose constructions usually consist of an annual laminate made up of a multiplicity of concentric tubular members, such as an innermost tube, a tubular reinforcement layer, a tubular friction layer, a second tubular reinforcement layer and a tubular outside cover layer. In some instances, the innermost tube of the hose itself is made up of two separate layers. These layers may be coextruded to provide a high temperature innermost material that would come in contact with the power steering fluid, backed up by a lower cost surrounding material to provide the necessary tube strength. See in this regard the U.S. Patent 5,316,046, issued May 31, 1994. See also U.S. Patent 4,998,565 and the prior art cited in the aforementioned '046 patent.

25

Summary of the Invention

In general, and by way of summary description and not by way of limitation, the present invention achieves the aforestated, as well as one or more additional objects set forth hereinafter, by providing a power steering hose construction that has improved noise dampening properties achieved by using a material for the innermost tube of the multilayer inner tube of the hose construction that has improved noise dampening properties, such as an ethylene/acrylic elastomer, without scarificing the resistance of the hose construction to high temperature fluid. This innermost tube preferably is bonded through vulcanization to a surrounding tube of material that possesses lesser noise dampening characteristics but provides other desirable physical characteristics in the composite hose construction. The dampening characteristics of the hose can be varied by varying the relationship of the radial wall thicknesses, relative to one another, of the inner and outer tubes of the multilayer innermost tube of the hose.

A method of dampening fluid-borne noise in an automotive power steering system in accordance with a presently preferred embodiment of the invention contemplates provision of a power steering fluid hose having a laminated inner tube surrounded by a reinforcing outer tube. The inner tube has a resilient inner layer with a radial thickness T_1 and a resilient outer layer with a radial thickness T_2 . The inner layer is softer than the outer layer and is bonded by vulcanization to the outer layer. The radial thicknesses T_1 and T_2 have a ratio selected to dampen fluid-borne noise within a preselected frequency range by elastic expansion of the inner and outer layers.

Brief Description of the Drawings

25

30

5

10

15

20

The foregoing as well as additional objects, features and advantages of the present invention will become apparent from the following detailed description of the present invention taken in conjunction with the accompanying drawing wherein:

- FIG. 1 is a schematic diagram of an automotive power steering system equipped with a power steering pressure hose in accordance with the present invention.
- FIG. 2 is a fragmentary perspective view of a power steering hose construction embodying the hose construction features of the invention to provide improved noise dampening properties.
 - FIG. 3 is a cross sectional view taken on the line 2-2 of FIG. 1 but not to scale.

FIGS. 4-6 are graphs that illustrate test results in accordance with a presently preferred embodiment of the invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

5

51

FIG. 1 is a schematic diagram of an automotive power steering system 30. A pump 32 draws fluid from a sump 34 and delivers the fluid under pressure through a conduit 36 to a steering gear 38. From steering gear 38, the fluid is returned to sump 34 by a conduit 40.

10

15

Referring now to FIGS. 2 and 3 of the drawing, there is shown a power steering hose 10 constructed as an exemplary but presently preferred embodiment of the invention to serve as an improved conduit 36 and/or 40 (FIG. 1) for power steering fluid in automotive power steering system 30. Hose 10 includes multilayered inner tube 12 made up of an inner tubular layer 14 and an outer tubular layer 16, two concentric tubular braided reinforcement layers 18 and 20, and an outer tubular cover 22. If desired, an insulation rubber layer (not shown) may be disposed between the reinforcement layers 18 and 20, as illustrated in aforementioned U.S. Patent 5,316,046 (incorporated herein by reference). As best seen in the cross sectional view of FIG. 3, the wall thickness of inner layer 14 of tube 12 taken radially of the same is designated "T1". Likewise, the wall thickness of the outer layer 16 of the multilayer inner tube 12 taken radially of the same is designated "T2".

20

25

Instead of (or in addition to) attempting to provide sound deadening devices incorporated inside the hose or connected in line with the power steering hoses to dampen system noise generated by the power steering pump and/or steering gear, the present invention achieves noise dampening in the power steering hose by using a material for inner layer 14 of the multilayer tube 12 that has good noise dampening properties, such as an ethylene/acrylic elastomer, but without sacrificing the resistance of the hose construction to high temperature power steering fluid. Thus inner tube layer 14 is bonded through vulcanization to a surrounding material (described in more detail hereafter) used in the construction of the outer layer 16 of tube 12, which possesses lessor noise dampening characteristics but that can withstand high temperatures and thereby provides hoop strength reinforcement under such adverse temperature conditions.

30

In addition, the invention contemplates varying the noise dampening ability of hose 10 by adjusting the thickness T_1 of the inner layer 14 of tube 12 in relation to the thickness T_2 of the outer layer 16 of tube 12. The multilayer tube 12 may be made by a

coextrusion process and apparatus such as that disclosed in U.S. Patent 4,322,260 incorporated herein by reference. This multilayer inner core 12 may then be covered with the tubular reinforcement layers 18 and 20 in the form of a braid or spiral or woven material to provide reinforcement. The hose noise dampening ability can be enhanced further by using a reinforcement yarn in layers 18 and 20 such as nylon applied in such a manner as to allow for expansion of the hose under pressure. The expansion of the hose can be controlled through the amount of elongation of the yarn and the angle at which it is applied. See, for example, U.S. Patent 4,633,912 also incorporated herein by reference.

5

10

15

20

25

30

The hardness of the inner layer 14 of the multilayer inner tube 12 is preferably in approximately the range of 70-80 durometer. A durometer value below 70 may be too soft to obtain an adequate seal, whereas a durometer value above 80 renders it more difficult to manufacture the extruded layer and provides less noise dampening properties.

Outer layer 16 of inner tube 12 is preferably made of a peroxide-vulcanized acrylonitrile-butadiene copolymer rubber (NBR) that provides strength and high temperature resistance to the multilayer tube 12. Layers 14 and 16 of the multilayer tube 12 preferably are coextruded and bonded together through vulcanization after coextrusion. The two layers of braided material 18 and 20 provide hoop strength to the overall hose construction to achieve a burst pressure on the order of 8,000 to 10,000 psi and are preferably made of suitable synthetic fibers such as high elongation nylon. Outer cover 22 is preferably made of chlorinated polyethylene (CPE).

The ratio of the thickness T_1 of the inner layer 14 to the thickness T_2 of the outer layer 16 of the multilayer tube 12 preferably is selected at an empirically determined value in view of the desired noise dampening characteristics of hose 10 and the inside diameter of the multilayer inner tube 12. This empirical determination may be made by physical experimentation and/or analytical computer modeling. Hence, it is necessary that the minimum thickness for inner layer 14 be empirically determined to provide sufficient heat resistance and oil resistance, and more importantly the desired noise dampening characteristics. On the other hand, the outer layer 16 would have an empirically determined minimum thickness that would ensure sufficient adhesion to the inner layer 14 and to the reinforcement layer 18.

The ratio of $T_1:T_2$ is preferably approximately in the range of 30:70 to 70:30, with a preferred example being a mid-range ratio of 50:50. In any event the ratio can be further optimized and tuned to the particular vehicle power system to maximize noise dampening under the parameters of operation of a particular vehicle system.

FIGS. 4-6 are graphs that illustrate results of testing an automotive power steering hose in accordance with the present invention in comparison with currently available hoses for power steering applications. All hoses were 400 mm in length, and were tested in accordance with ISO 10767-1. Each graph of FIGS. 4-6 illustrate transmission loss TL (no units) as a function of frequency. The higher the transmission loss, the better the noise, vibration and harshness (NVH) characteristics of the hose. FIGS. 4 and 5 illustrate test results 50 for a hose in accordance with the present invention in comparison with various standard commercially available hose constructions. In each test, the hose in accordance with the present invention exhibited greatly superior dampening characteristics in the frequency range of about 300 to 400 Hz, which is the frequency range associated with "moan" of power steering systems.

5

10

15

20

25

FIG. 6 illustrates test results 50 of the hose in accordance with the present invention in comparison with commercially available hoses equipped with noise-suppression "tuners" of the type illustrated for example in US Patent 6,155,378. Once again, in the frequency range of about 300 to 400 Hz associated with objectionable "moan" noise in power steering systems, the hose in accordance with the present invention exhibited noise suppression properties superior to those of "tuned" hoses.

From the foregoing description it will be seen that high temperature and pressure power steering hose constructions have been in production for a number of years, and likewise that it is well known in the art to provide the capability to coextrude two different materials at the same time. The invention takes advantage of this prior knowledge in the art but improves upon it by employing two different materials and a selected ratio of respective laminate wall thicknesses in the innermost multilayer tube 12 of a multilaminate hose. Those two materials possess different degrees of noise dampening properties to help create the amount of noise dampening desired from the power steering hose and still maintain the high temperature fluid aging and fluid sealing properties required for prolonged service life of the hose in power steering automotive environments.

CLAIMS

1

2

3

4

5

6

7

8

1

1.

A method of dampening fluid-borne noise in an automotive power steering system which comprises directing power steering fluid through a power steering fluid hose having a laminated inner tube surrounded by a reinforcing outer tube, said inner tube having a resilient inner layer with a radial thickness T_1 and a resilient outer layer with a radial thickness T_2 , said inner layer being softer than said outer layer and being bonded by vulcanization to said outer layer, said radial thicknesses T_1 and T_2 having a ratio selected to dampen fluid-borne noise within a preselected frequency range by elastic radial expansion of said inner and outer layers.

2.

The method set forth in claim 1 wherein said ratio is in the range of 30:70 to 70:30.

3.

The method set forth in claim 2 wherein said ration is 50:50.

4.

The method set forth in claim 1 wherein said inner layer has a hardness in the range of 70 to 80 diameter.

5.

The method set forth in claim 1 wherein said preselected frequency range is 300 to 400 Hz.

The method set forth in claim 1 wherein said inner tube is of ethylene/acrylic elastomeric container, and said container tube is of peroxide-vulcanized acrylomitrilebutadiene copolymer.

7.

A method of making a power steering pressure hose having a predetermined fluid-borne noise dampening characteristics, which comprises the steps of:

- (a) providing a laminated inner tube having an inner layer with a radial thickness T_1 and an outer layer with a radial thickness T_2 , said inner layer having a hardness in the range of about 70 to 80 durometer, and said radial thickness T_1 having a ratio to said outer thickness T_2 in the range of about 30:70 to 70:30, and
- (b) surrounding said inner tube with an outer reinforcing tube.

3

4


5

6

7

Abstract of the Disclosure

A method of dampening fluid-borne noise in an automotive power steering system in accordance with a presently preferred embodiment of the invention contemplates provision of a power steering fluid hose having a laminated inner tube surrounded by a reinforcing outer tube. The inner tube has a resilient inner layer with a radial thickness T_1 and a resilient outer layer with a radial thickness T_2 . The inner layer is softer than the outer layer and is bonded by vulcanization to the outer layer. The radial thicknesses T_1 and T_2 have a ratio selected to dampen fluid-borne noise within a preselected frequency range by elastic expansion of the inner and outer layers.






FIG.4




FIG.5




FIG.6

The "Received" Stamp of the Patent & Trademark Office imprinted hereon acknowledges the filing of:

Certificates Mailing

DESCRIPTION OF PAPER:

SERIAL NO .: _

Status Inquiry and Certificates Mailing

NAME OF APPLICANT: Gail M. Cunningham

INTF. OR 00/841 518

DATE: 09-16-02 ATTY.: RCC

09/841,518

Dana 5196-01



United States Patent and Trademark Office

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231

www.uspto.gov

							###.uspicegor
APPLICATION NUMBER	FILING DATE	GRP ART UNIT	FIL FEE REC'D	ATTY.DOCKET.NO	DRAWINGS	TOT CLAIMS	IND CLAIMS
09/841,518	04/24/2001	1733	710	5196-01 FSP	3	7	2

Robert C. Collins
Reising, Ethington, Barnes,
Kisselle, Learman & McCulloch, P.C
P.O. Box 4390
Troy, MI 48099-4390

JUN 2 2 2001 PM 075-)

CONFIRMATION NO. 5647

FILING RECEIPT

Date Mailed: 06/18/2001

Receipt is acknowledged of this nonprovisional Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Customer Service Center. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

Gail M. Cunningham, Oxford, MI;

Domestic Priority data as claimed by applicant
THIS APPLN CLAIMS BENEFIT OF 60/200,122 04/27/2000

Foreign Applications

If Required, Foreign Filing License Granted 06/15/2001

Projected Publication Date: Request for Non-Publication Acknowledged

Non-Publication Request: Yes

Early Publication Request: No

Title

Fluid-borne noise suppression in an automotive power steering system

EXPRESS MAIL LABEL EL606427252US

DOCKET 5196-01 FSP

The "Received" Stamp of the a. ... & Trademark Office imprinted hereon acknowledges the filing of:

DESCRIPTION OF PAPER: UTILITY PAT. APP.

NAME OF APPLICANT: GAIL M. CUNNINGHAM

UTILITY App Tr; Fee Tr (in duplciate); Specification (8 pgs); Sheets Drawings; Declaration (2 pgs); Power of Atty; Asmt. Papers (4 pgs); PTO 1449 and cited ref's. Req. & Cert under 35 USC122(b)(2)(B)(i); \$750 to cover fees

INTF. OR BASED ON PROV. APP.
SERIAL NO. SER. NO. 60/200,122
FILED APRIL 27, 2000

DATE: 4/24/01 ATTY: RCC

EXPRESS MAIL LABEL EL606427252US

DOCKET 5196-01 FSP

The "Received" Stamp of the Patent & Trademark Office imprinted hereon acknowledges the filing of:

DESCRIPTION
OF PAPER: UTILITY PAT. APP.

NAME OF APPLICANT: GAIL M. CUNNINGHAM

INTF.OR BASED ON PROV. APP.
SERIAL NO.: SER. NO. 60/200,122
FILED APRIL 27, 2000


ATE: 4/24/01 ATTY: RCC 04,

UTILITY App Tr; Fee Tr (in duplciate); Specification (8 pgs); 3 Sheets Drawings; Declaration (2 pgs); Power of Atty; Asmt. Papers (4 pgs); PTO 1449 and cited ref's. Req. & Cert under 35 USC122(b)(2)(B)(i); \$750 to cover fees

J1036 U.S. PTO 09/841518 04/24/01

02 6

1-27049



Date: April 29, 2004

Action Taken: Status Inquiry/By Phone

Called PTO Office by Group Art# 1733. Called (571) 272-1215, spoke with Justin R. Fisher. He said he would place some calls to find out the status. But as far as he could tell it had not been docketed.

Justin R. Fisher called back said that he put a "LOST TAG" on the file. It means that they have flagged it for an extensive search. They are looking for the actual paper case filed. He could not give a time frame, but did suggest checking once a week on the PTO website to check the status.

Received another call from PTO, but from another agent, (571) 272-1212 Jeff Aftergut, he is the supervisor for Art Unit 1733. Justin R. Fisher referred him to me. He said the case was scanned as a image case (electronic case) but never got flagged as one. So it doesn't appear in the system as a image case (electronic case) but a paper case.

He reported to the individuals who are supposed to correct it to make it a electronic case and he also looked over the claims and it appears that it's appropriate for class 137 with Art Unit No. 3753. This Art Unit relates to fluid flow or fluid handling which is what the independent claim makes reference to.

The supervisor for Art Unit 3753 is David Scherbel. Mr. Aftergut suggests that I call him and see if he'll assign the case to someone over there. His number is (703) 308-1272.

Called Mr. Scherbel left message to call back. 4/29/04

Called Mr. Scherbel 5/10/04. He said that the case as of yet has not been assigned to anyone. A Transfer Request has been made for the case. He believes it is still marked as a paper case instead of an electronic case. Said to call back May 18th to check the status.

Called Mr. Scherbel 5/18/04. Mr. Scherbel says that case has not been transferred to his department. He thinks that it is still "Lost". He is going to contact Mr. Aftergut in Dept. 1733 to see if they have the paper case filed away someplace. Mr. Scherbel thinks that Mr. Aftergut believes the case was converted to an electronic case, but he believes it never was converted. Mr. Scherbel says he'll contact me to give the status of this case.

Called Mr. Scherbel 8/20/04 He says that he is not sure what is going on with this case, but he believes that the class unit was changed from 137 to 138. He will look into it.

Called Mr. Scherbel 10/26/04 Called Mr. Scherbel left voice mail message asking him to call back. Regarding status of 09/841,518

OIPE.

FEB 1 1 20.

The "Received" Stamp of the Patent **EAOT**ademark Office imprinted hereon acknowledges the filing of:

Description of paper: Petition (4pgs), Certificate of Mailing, 1st Inquiry Filing Receipt, 2nd Inquiry Filing Receipt, Notes from Telephone Inquiry (2pgs), Filing Receipt from PTO, Copy of Application; Text (8pgs), Drawing (3pgs), Filing Receipt, Application Transmittal, Fee Transmittal, Request for Certification, Declaration, Power of Attorney and Information Disclosure Statement

Name of Applicant: Gail M. Cunningham

Serial No.: 09/841,518

Date: 10/29/04 Attorney: RCC/dc

Client Code: 5196-01 FSP (Dana 2671.3047.7002)

The "Received" Stamp of the Patent & Trademark Office imprinted hereon acknowledges the filing of:

Description of paper: Petition (4pgs), Certificate of Mailing, 1st Inquiry Filing Receipt, 2nd Inquiry Filing Receipt, Notes from Telephone Inquiry (2pgs), Filing Receipt from PTO, Copy of Application; Text (8pgs), Drawing (3pgs), Filing Receipt, Application Transmittal, Fee Transmittal, Request for Certification, Declaration, Power of Attorney and Information Disclosure Statement

NOV 0 3 201

Name of Applicant: Gail M. Cunningham

Serial No.: 09/841,518

Date: 10/29/04 Attorney: RCC/dc

Client Code: 5196-01 FSP (Dana 2671.3047.7002)